



Food Risk Management

CPT Caroline Kalinowski

Directorate of Operations, Quality Assurance Division (804) 734-4287



Purpose



- Understand the role of food and water in a bioterrorist event.
- Reinforce food safety practices to minimize the risk of potential food- or water-borne illness due to intentional and unintentional contamination.
 - → Food/Water Vulnerability Assessment Guide (TG-188)
 - → Food Risk Management (DA PAM 30-22)



Indicators of Today's Biological Agent Threat



- → Iraq 1985-1991, developed anthrax, botulinum toxin, & aflatoxin.
- → Tokyo, 1995 Terrorist organization releases sarin nerve agent in subway.
 - + Failed in 1994 in attempt to release anthrax & botulinum toxin.



Feasibility of Biological Weapons



- ✓ Low cost
- Readily available
- Low technological support
- Easily disseminated
- Difficult to detect
- ✓ Deniable
- ✓ Able to cause mass casualties

TERRORISM: Longer incubation periods are more suitable for terrorist activities (natural pathogens)

- → Allows time to distance terrorists from event.
- → May appear to be natural epidemic or food related illness.



Scenario for Terrorist Attacks



- → Product tampering
- → Sabotage of specific food groups or industries
- Attacks directed at a country's institutions, agencies, or departments
- → Attack on ethnic groups in opposition to terrorist goals



Domestic Use of Biological Weapons



Oregon (1984) — Salmonella contaminated salad bars.

- ▶ 10 restaurants implicated; 751 cases of gastroenteritis
- Infected employees amplify spread of illness
- Errors in food rotation & refrigeration facilitated growth of organism



Potential Pathogens



- Numerous possibilities
- Vary from classical BW agents to natural food related pathogens.
- Could include viruses, bacteria, & toxins.

 Spore-forming pathogens may survive traditional food processing temperatures.



What is the Food Threat?



- → Public accessible foods
- Processed foods
- → Water
- → Uncooked foods
- → Fresh fruits & vegetables
- → Agent Vectors



EXAMPLES



Processed Foods

- 30 grams of ricin toxin
- Easily concealed in a pocket
- Could lethally poison150 pounds of meat
- Enough to produce1,500 hotdogs

Fresh Fruits & Veges

...often not "washed" AND sanitized in field feeding operations.





EXAMPLE



-- Water --

- Many pathogens survive in water
- Easily disseminated to public
- Bottled water common



- ROWPU effective against toxins, bacteria, viruses,
 & parasites
- Coagulation/Flocculation not effective against pathogens (sediments only)
- Chlorination not effective against parasites & does NOT destroy Anthrax spores




Foodborne Illness



Diagnosed Cases in US are increasing

(Outbreaks in the News: E-Coli & Listeria)

325,000 hospitalizations 76 million 5,000 deaths cases annually





Foodborne Illness IS a Readiness Issue



1998, Saudi Arabia: 110 soldiers hospitalized for Salmonellosis after eating in base camp dining facility.

[43% of casualties came from a single infantry unit]

Consider the effects of 1 meal in a combat situation.



Food and Water Antiterrorism



Problem:

- No institutionalized process to address intentional contamination of food or water.
- Vulnerability surveys focus on conventional or aerosol attacks with collateral damage to food/water.
- Process & technology are inadequate to protect us.

Solution:

- ✓ ID secure food & water handling procedures.
- ✓ Validate new detection equipment.
- ✓ Institutionalized approach (Risk Management).

he Role of Army Food Service Personnel





Food Safety & Protection





Observations

- Improper handling of rations
- Inadequate temperature controls & monitoring
- Untrained, unqualified or inexperienced personnel
- → Inadequate Supervision by Food program Leaders
- Inadequate Surveillance by Medical personnel




Inspecting Subsistence



TISA: Installation Vet Personnel conduct routine inspections (Never 100%)

Unit: Ration personnel should check their rations upon receipt; Report suspect or questionable supplies to the AVI/TISO.








Temperature Standards




- Time and temperature discipline are critical in the prevention of bacterial growth.
 - ✓ Cold storage
 - ✓ Cooking
 - ✓ Hot holding (during serving and remote feeding)





POTABLE WATER





- ✓ Inspect water trailer before use
- ✓ Obtain water from approved source or fill point
- ✓ Chlorinate to 1 ppm
- ✓ Protect from contamination





Knowing the standards does not assure safety...food processes must be managed and supervised at all levels.

'Risk management is the Army's principal risk-reduction process to protect the force.

...Our goal is to make risk management a routine part of planning and executing operational missions.'

Chief of Staff, Army, July 1995



Risk Assessment / HACCP



- Conduct unit level risk assessment of the biological threat; conduct food operations risk assessment based on your menu.
 - ✓ Employ HACCP/Food RM Principles
 - ✓ CHPPM TG-244, The Medical NBC Battlebook http://chppm-www.apgea.army.mil/armydocs.asp?pub_type=TG
 - Need to identify potential points of human intervention based on ease and accessibility





TG 188 U.S. Army Food and Water Vulnerability Assessment Guide (Feb 02)

Prepared by USACHPPM & DoD Veterinary Service Activity



Food Security Assessment Team (FSAT)



- Designated by installation Cdr:
 - ✓ Installation Force Protection Officer
 - ✓ Inst. Preventive Medicine Officer
 - ✓ Inst. Veterinary Corps Officer
 - ✓ Inst. Food Advisor
 - ✓ CID
 - Military Intelligence
 - ✓ Others...
- Applies RM process to review & assess installation food systems.




Vulnerability Assessment



- ◆ ID all food assets
- ◆ Describe installation food procurement sources & distribution from their sources.
- Develop flow diagrams for each asset to identify vulnerable areas:
 - → Supply
 - → Distribution
 - → Storage
 - → Retail sale or Preparation & Serving

Example: DFAC Flow Diagram





-- Develop Controls --



✓ Educational

- → Cooks, Contractors, Commanders, CID, Force Protection personnel, etc...
- → Food safety & Sanitation/Hygiene practices
- → ID signs of contamination/tampering
- → ID signs/symptoms of illnesses due to NBC

✓ Physical

→ Security; Facility Access; Periodic Inventories

✓ Avoidance

→ Personnel checks; Review Menu; Food Safety Practices






DA PAM 30-22

Food Risk Management Requirement

Food RM = Applying HACCP Principles





Food Risk Management



DA Pam 30-22

- ...enhances the prevention of foodborne illnesses by systematically applying prescribed food protection and sanitation standards.
- Minimum Requirement: maintain, monitor, and record time & temperature controls for PHFs.
 - → Cooking
 - → Holding (hot & cold)
 - → Cooling



Table 3.7-1



Time & Temperature Risk Management: Minimum Monitoring Requirements

Responsible Agent	Process	Number of Samples & Frequency		Monitoring Criteria
Food Operations Sergeant / Manager	Cold Storage	All units	Once each meal period (Breakfast, Lunch, Dinner)	 Monitor all refrigeration units Verify the ambient temp Record temperature on data log.
Food Operations Sergeant / Manager	Cooking	3 menu items	Each meal period	 Spot-check at least 1 meat, Spot-check 2 or more other Monitor internal product temp Record internal food temp
Food Operations Sergeant / Manager	Cold Holding	3 items	Each meal period	 Spot-check at least 1 meat, Spot-check 2 or more other Monitor same menu items Record internal food temp

5 April 2002

29

Army Center of Excellence, Subsistence



Table 3.7-1 Monitoring Requirements



Food Operations Sergeant/Manager

Cold Storage	All units	Once each meal period
Cooking	3 items	Each meal period
Cold Holding	3 items	Each meal period
Hot Holding	3 items	Each meal period
Cooling	All hot items	Each meal period
Re-heating leftovers	All leftovers served hot	Each meal period

Example: Cooking Log

DATE: TAPY 02	MEAL: Breakfast (Lunch) Din	ner Other	
PROCESS: Cooking a	nd/or Re-Heating Leftovers	MONITORED BY: SSG Thomas	
Minimum Internal Tempera	ature (see back of form for instructions)	TITLE: First Cook	

CATEGORY: 1 (\geq 145 F) 2 (\geq 155F) 3 (\geq 165F)

LOCATION	FOOD/MENU ITEM		Internal Temp (F)	TIME	Corrective Action
	& CATEGO	RY	4/05	1035	Mandatory for non-compliance
Combí Oven #2	Baked Chicken	Cat:	160 F		X Continue Cooking
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		3	168 F	1045	Continue Cooking X_Recheck Temp.
0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Cat:	159 F	1038	Continue Cooking
Combí Oven #3	Meatloaf	2			Continue CookingRecheck Temp.
	Mixed Veges	Cat:	147 F	1050	Continue Cooking
Steam Kettle #1		1			Continue CookingRecheck Temp.
		Cat:			Continue Cooking
					Continue CookingRecheck Temp.
		Cat:			Continue Cooking
					Continue CookingRecheck Temp.
		Cat:			Continue Cooking
					Continue CookingRecheck Temp.
		Cat:			Continue Cooking
					Continue CookingRecheck Temp.
		Cat:			Continue Cooking
					Continue CookingRecheck Temp.
		Cat:			Continue Cooking
					Continue CookingRecheck Temp.



Table 3.7-1 Monitoring Requirements



Food Advisor or Food Program Manager

Audit of food service facilities

Each facility or food service operation

Monthly

Monitoring Criteria

- ✓ Document on HACCP Monitoring Report (TB MED 530)
- ✓ Focus on Processes
- Copy provided to FOS/Mgr; Original filed with PM inspection documents

	HAZARD ANALYSIS CRITIC	CAL CONTROL POINT MONIT	ORING REPORT
	For use of this form, see	TB MED 530; the proponent agency	is OTSG.
1. ESTABLISHMEN	TNAME		
2. ESTABLISHMEN	T ADDRESS		
3. FOOD		4. HAZARD	
PROCESS (STEPS) CIRCLE CCPs	CRITERIA FOR CONTROL	MONITORING PROCEDURE OR WHAT TO LOOK FOR	ACTIONS TO TAKE WHEN CRITERIA IS NOT MET
5. RECEMING/ STORING	a. Approved source (inspected) Shellfish tag Raw/Cooked/Separated in storage Refrigerate at ≤40° F Free of deterioration or spoilage	b. Shellfish tags available Shellfish tags complete Measure food temperature No raw foods stored above cooked or ready-to-eat foods Organoleptic testing	c. Discard food Return food to vendor Separate raw and cooked food Discard cooked food contaminated by raw food Food temperature: More than 40°F for more than 4 hours, discard food
6. THAWING	a. Under refrigeration Under running water less than 70°F, product ≤40°F or no more than 4 hours or less at > 40°F Microwave Part of cook process	b. Observe method Measure food temperature	c. Water temperature > 70°F, discard food Food temperature > 40°F for more than 4 hours, discard food
7. PROCESSING PRIOR TO COOKING	a. Food ≤40°F or no more than 4 hours or less at > 40°F	b. Observe quantity of food at room temperature Observe time food held at room temperature	c. Food temperature > 40°F for more than 4 hours, discard food (time includes thawing time)
8. COOKING	a. Temperature to kill pathogens: Food temperature at thickest part more than or equal to ——— ° F	b. Measure food temperature at thickest part	c. Continue cooking until food temperature at thickest part is more than or equal to °F
9. HOT HOLDING	a. Food temperature at thickest part more than or equal to ° F	b. Measure food temperature at thickest part every minutes	c. Food temperatures: <pre> < 140°F for more than 4 hours, discard</pre>



Conclusions



- Food as a vehicle for bioterrorism has been used.
- ◆ The potential for bioterrorism in the future is credible.
- ◆ Detection technology for biological agents is lacking (Has limited reliability).
- → Risk management is key to ensure safe food.
- ◆ Food operations sergeant must be vigilant in food safety practices and food protection measures.



QUESTIONS



Contact Information:

DSN 687-4287

COM (804) 734-4287

Caroline M. Kalinowski
CPT, MS
Environmental Science Officer
Army Center of Excellence,
Subsistence



Email: kalinowskic@lee.army.mil





Food Risk Management

CPT Caroline Kalinowski

Directorate of Operations, Quality Assurance Division (804) 734-4287